

Wound Care:

Dressings Formulary



Classification	Products	Indications	Price £<£1.00 ££< £5.00 £££ > £5.00	TVN discussion and approval required
Wound cleansing and Irrigation	Prontosan solution	Cleansing, decontamination and moisturising of acute and chronic skin wounds and burns	350ml bottle £££	
Debridement	Debrisoft pad	Removal of superficial slough and debris, including biofilm from wound bed and surrounding skin	10 x 10cm pad £££	
Wound contact layer	NA	To provide a protective 'layer' to a healing wound that does not adhere to the wound bed. They allow any exudate to pass through them to a secondary dressing.	9.5x9.5cm £	
	NA Ultra	NA ultra has a silicone coating to the knitted viscose sheet. Wear time 5-7 days.	9.5x9.5cm £ 9.5x19cm £	
	Mepitel One	As above but a soft silicone contact layer, can stay on wound for 14 days cleanse insitu.	6x7cm ££	
Alginate	Kalatostat	Moderate exudate management. Promotes haemostasis in superficial wounds. 3-5 days wear time.	5x5cm £	
	Activheal alginate		5x5cm £	
	Flaminal Hydro	Antimicrobial Alginate gel debrides and manages low to moderate exudate levels. Alternate days.	15g tube £££	Yes
	Flaminal Forte	Antimicrobial Alginate gel debrides and manages moderate to high exudate levels. Alternate days.	15g tube £££	Yes
Protease Modulators (hydrofibre)	Aquacel Extra	Exudate and management of proteases that prolong inflammatory phase. 3-5 days wear time.	5x5cm ££ 10x10cm ££	
	Aquacel Ag extra	As above but with antimicrobial action for infection management	5x5cm ££ 10x10cm £££	
Foam: protects and absorbs	Suprasorb P sensitive (border and non)	Silicone based foam for low to moderate exudate management. 3-5 days wear time.	10x10cm border ££ 10x10cm non border ££	
	Mepilex border comfort	Soft silicone foam with superabsorber layer for moderate to high exudate management. 3-5 days wear time	10x10cm ££	Shaped - Yes
	Activheal PHMB	Hydrophilic foam with PHMB antimicrobial low to moderate exudate levels. 3-5 days wear time.	10x10cm £££	Yes
	Polymem	Hydrophilic foam with skin cleanser low to moderate exudate levels and very conformable. 3 days.	10x10 cm ££	Yes special order
Silver: antimicrobial	Aquacel AG extra	See in protease modulators		

	Activheal PHMB	See in foams		
Honey: antimicrobial	Actilite	Viscose dressing impregnated with 100% Manuka honey, creates moist wound bed with antimicrobial and odour management. 3-5 days wear time	5x5cm £/££ 10x10cm ££	
	Medihoney HCS	Honey in hydrogel with superabsorber polymer. Suitable for dry or exuding wounds. 3-5 days wear time	6x6cm ££ 11x11cm £££	
PHMB antimicrobial	Activheal PHMB foam	See foams		
	Suprasorb X PHMB	Gel dressing with PHMB, debrides, antimicrobial and absorbent for sloughy, wet and infected wounds. Moderate exudate management. 5-7days wear	9x9cm £££ 14x20cm £££	Yes
	Prontosan gel	Wound cleanser and debrider of biofilm in chronic and infected wounds. Alternate days wear time.	30ml bottle £££	Yes
DACC antimicrobial	Cutimed sorbact hydroactive	Low to moderate exudate management, debrides infected and sloughy wounds. 3-5 days wear time.	14x14cm £££	Yes
	Cutimed sorbact swab	Hydrophobic antimicrobial wound contact layer binds bacteria, colonised and infected wounds. Good for diabetic foot wounds. 3-5 days wear time.	4x6cm ££	Yes
Hydrogel	Actiform cool	Debrides slough and debris and helps absorb exudate. Helps pain management. 3-5 days wear time	5x5cm ££ 10x10cm ££	
	Purilon gel	For debriding and carrying gel for morphine for wound care		Special order
Hydrocolloid	Duoderm extra thin	Cleans and debrides wounds and handles light exudate levels. 3-5 days wear time.	10x10cm ££	
Superabsorbent	Vliwasorb pads	Conformable superabsorbent pad for exudate control, wet wound management. Change as necessary.	12.5x12.5 cm ££ 22x32cm £££	
	Eclipse pad	Alternative to Vliwasorb	10x10cm ££ 20x30cm ££	
Iodine: antimicrobial	Inadine	Management and prevention of infection – minor wounds and diabetic foot wounds. Change when iodine has leached out.	5x5cm £ 9.5x9.5cm ££	
Barrier products	LBF barrier spray	To protect intact skin from maceration from exudate	30ml £££	
Miscellaneous	Clinisorb odour management	Charcoal cloth, reduces odour, loses effectiveness when wet.	10x10cm £££	
	PB7 paste bandage	Wet zinc paste bandage, venous leg ulcers and skin conditions. Up to 7 days	£££	Discuss
	Scar managment			Yes